Farbex Exterior Fungicidal Wash

Safety data sheet

According to regualtions (EC) no. 1907/2006 (REACH) with its amendment regualtions (Eu) 2015/830 issue date 19/06/2020 Version 0.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Farbex Exterior Fungicidal Wash

Product code :

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use

Use of the substance/mixture : Surface cleaning

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer
Pat Mcdonnell Paints
CentrePoint
Centre Park Road
Co. Cork

Tel: 021 4320200 info@mcdonnellpaints.ie www.mcdonnellpaints.ie

1.4. Emergency telephone number

Emergency number: 021 4320200

Office Hours: Monday to Friday 9.00am- 5.30pm,

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3

Corrosive to metals, Category 1

Skin corrosion/irritation, Category 1, Sub-Category 1B

Serious eye damage/eye irritation, Category 1

Hazardous to the aquatic environment — Acute Hazard, Category 1

Hazardous to the aquatic environment — Chronic Hazard, Category 1

H410

Full text of H statements : see section 16

Signal word (CLP)

Adverse physicochemical, human health and environmental effects

GHS02 GHS05 GHS09 Flammable liquid and vapour. May be corrosive

to metals. Causes severe skin burns and eye damage. Causes serious eye damage. Very toxic

to aquatic life with long lasting effects.

Contains : Sodium Hypochlorite

: Danger

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]







Hazard pictograms (CLP)

Hazard statements (CLP)

H226 - Flammable liquid and vapour. H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage. H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

: P210 - Keep away from heat, hot surfaces, open flames, sparks. No smoking. P280 - Wear protective clothing, eye protection, face protection, protective gloves. P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a doctor, a POISON CENTER.

P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.. Immediately call a doctor, a POISON CENTER. P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

doctor, a POISON CENTER.

P406 - Store in a corrosive resistant container with a resistant inner liner.

EUH-statements : EUH208 - Contains d-Limonene(5989-27-5). May produce an allergic reaction.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

First-aid measures general First-aid measures after inhalation First-aid measures after skin contact Call a physician immediately.

: Remove person to fresh air and keep comfortable for breathing.

: Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.

19/06/2020 (Issue date) EN (English) 2/15

Mixtures			
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium Hypochlorite	(CAS-No.) 7681-52-9 (EC-No.) 231-668-3 (REACH-no) 01-2119488154-34	≥ 10 - < 25	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)
Amines, C12-14-alkyldimethyl, N-oxides	(CAS-No.) 308062-28-4 (EC-No.) 931-292-6	< 10	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
d-Limonene	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5	< 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Unsuitable extinguishing media : Strong water jet.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour. Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Precautionary measures fire : Cool closed containers exposed to fire with water spray. Move containers from fire area if it can be done without personal risk.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 6: Accidental release measures

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin

: and eyes. Do not breathe fume, mist, spray, vapours.

6.1.2. For emergency responders

Protective equipment

Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment an I cleaning up

Methods for cleaning up

Notify authorities if product enters sewers or public waters. Take up liquid spill into

absorbent material. Transfer the product into a spare container: - suitably labelled.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

19/06/2020 (Issue date) EN (English) 4/15

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Do not breathe fume, mist, spray, vapours.

Hygiene measures

: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including an incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store in corrosive

resistant container with a resistant inner liner. Keep only in original container. Store locked

Incompatible materials : Metals.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Eye protection:

Chemical goggles or face shield

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Chemically resistant protective gloves. Consult glove manufacturer's product information on material suitability and material thickness.

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

: No data available Colour : No data available Odour Odour threshold : No data available pН : No data available Relative evaporation rate (butylacetate=1) No data available Melting point : Not applicable Freezing point : No data available : No data available Boiling point : No data available Flash point Auto-ignition temperature No data available Decomposition temperature : No data available Flammability (solid, gas) : Not applicable Vapour pressure : No data available Relative vapour density at 20 °C : No data available

Relative density : 1.18

Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

metals.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

d-I	imonene	(5989.	-27-5)

LD50 oral rat > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline

423 (Acute Oral toxicity - Acute Toxic Class Method)

Amines, C12-14-alkyldimethyl, N-oxides (308062-28-4)

LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.3 (Acute Toxicity

(Dermal)), Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

Skin corrosion/irritation : Causes severe skin burns.
Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified STOT-single exposure : Not classified

Sodium Hypochlorite (7681-52-9)

STOT-single exposure May cause respiratory irritation.

STOT-repeated exposure : Not classified

Amines, C12-14-alkyldimethyl, N-oxides (308062-28-4)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other:OPPTS 870.3650	· · · · · · · · · · · · · · · · · · ·	
---	---------------------------------------	--

Aspiration hazard : Not classified

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

Hazardous to the aquatic environment, short-term

Hazardous to the aquatic environment, long-term

(chronic)

: Very toxic to aquatic life with long lasting effects.

: Very toxic to aquatic life.

: Very toxic to aquatic life with long lasting effects.

Not rapidly degradable

d-Limonene (5989-27-5)		
LC50 - Fish [1]	720 μg/l Test organisms (species): Pimephales promelas	
EC50 - Crustacea [1]	0.36 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	≈ 8 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)	
NOEC (chronic)	0.115 mg/l Test organisms (species): other:For freshwater invertebrates, species frequently include Daphnia magna or Daphnia pulex. Duration: '16 d'	
Amines, C12-14-alkyldimethyl, N	l-oxides (308062-28-4)	
EC50 - Crustacea [1]	10.4 mg/l Test organisms (species): Daphnia magna	
EC50 - Crustacea [2]	3.1 mg/l Test organisms (species): Daphnia magna	
NOEC (chronic)	0.7 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	0.42 mg/l Test organisms (species): Pimephales promelas Duration: '302 d'	
12.2. Persistence and degradabi	lity	

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

Dispose of contents/container in accordance with licensed collector's sorting instructions.

Must follow special treatment according to local regulation.

Product/Packaging disposal recommendations

Recycle following cleaning. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations.

19/06/2020 (Issue date) 9/15 EN (English)

Additional information

: Flammable vapours may accumulate in the container.

SECTION 14: Transport information

ADD	DG / IATA / ADN / RID	IATA	ADM	DID.
ADR	IMDG	IATA	ADN	RID
4.1. UN number				
UN 2920	UN 2920	UN 2920	UN 2920	UN 2920
4.2. UN proper shippir	ng name			
CORROSIVE LIQUID.	CORROSIVE LIQUID.	Corrosive liquid, flammable,	CORROSIVE LIQUID,	CORROSIVE LIQUID.
FLAMMABLE, N.O.S.	FLAMMABLE, N.O.S.	n.o.s. (CONTAINS :	FLAMMABLE, N.O.S.	FLAMMABLE, N.O.S.
(CONTAINS : Sodium	(CONTAINS : Sodium	Sodium Hypochlorite)	(CONTAINS : Sodium	(CONTAINS : Sodium
,	,	Sociali Hypochionie)	•	,
Hypochlorite)	Hypochlorite)		Hypochlorite)	Hypochlorite)
ransport document desc	ription			
UN 2920 CORROSIVE	UN 2920 CORROSIVE	UN 2920 Corrosive liquid,	UN 2920 CORROSIVE	UN 2920 CORROSIVE
LIQUID, FLAMMABLE,	LIQUID, FLAMMABLE,	flammable, n.o.s.	LIQUID, FLAMMABLE,	LIQUID, FLAMMABLE.
N.O.S. (CONTAINS:	N.O.S. (CONTAINS:	(CONTAINS : Sodium	N.O.S. (CONTAINS:	N.O.S. (CONTAINS :
Sodium Hypochlorite), 8	Sodium Hypochlorite), 8	Hypochlorite), 8 (3), II,	Sodium Hypochlorite), 8	Sodium Hypochlorite),
(3), II, (D/E),	(3), II, MARINE	ENVIRONMENTALLY	(3), II,	(3), II,
		_		1 1
ENVIRONMENTALLY	POLLUTANT/ENVIRONME	HAZARDOUS	ENVIRONMENTALLY	ENVIRONMENTALLY
HAZARDOUS	NTALLY HAZARDOUS		HAZARDOUS	HAZARDOUS
4.3. Transport hazard	:lass(es)			
8 (3)	8 (3)	8 (3)	8 (3)	8 (3)
8 3	8 3	8 3	8 3	8 3
	I			
4.4. Packing group				
II	II	II	II	II
		11	II	II
II	ards			
II 4.5. Environmental ha	ards Dangerous for the	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
II 4.5. Environmental ha Dangerous for the	ards	Dangerous for the	Dangerous for the	Dangerous for the

14.6. Special precautions for user

Overland transport

Classification code (ADR): CF1

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provisions (ADR): 274 Limited quantities (ADR) : 11 Excepted quantities : E2

(ADR)

Packing instructions P001, IBC02 (ADR) Mixed packing provisions: MP15

(ADR)

Portable tank and bulk

container instructions

(ADR)

Portable tank and bulk : TP2, container special TP27

provisions (ADR)

Tank code (ADR) : L4BN Vehicle for tank carriage : FL Transport category (ADR): 2 Special provisions for

carriage - Operation

(ADR)

Hazard identification : 83

number (Kemler No.)

Orange plates



Tunnel restriction code

(ADR) : D/E : •3W EAC code APP code : A(fl)

Transport by sea

Special provisions (IMDG)

: 274 Packing instructions : P001

(IMDG)

IBC packing instructions : IBC02

(IMDG)

Tank instructions : T11

(IMDG)

: TP2, TP27 Tank special provisions

(IMDG)

EmS-No. (Fire) : F-E EmS-No. (Spillage) : S-C : C Stowage category

(IMDG)

Stowage and handling : SW1, SW2

(IMDG)

Properties and : Causes burns to skin, eyes and

observations (IMDG) mucous membranes.

Air transport

PCA Excepted quantities (IATA)

: E2 PCA Limited quantities : Y840

(IATA)

PCA limited quantity : 0.5L

max net quantity (IATA)

: 851

PCA packing

instructions (IATA)

PCA max net quantity : 1L

(IATA)

CAO packing : 855 instructions (IATA)

19/06/2020 (Issue date) 11/15 EN (English)

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

CAO max net quantity : 30L

(IATA)

ERG code (IATA) : 8F

Inland waterway transport

Classification code

(ADN) : CF1 Special provisions : 274

(ADN)

Limited quantities (ADN) : 1 L Excepted quantities : E2 (ADN)

Equipment required : PP, EP, EX, A

(ADN)

Ventilation (ADN) : VE01 Number of blue : 1

cones/lights (ADN) Rail transport

Classification code

: CF1 (RID) Special provisions (RID) : 274 Limited quantities (RID) : 1L : E2 **Excepted quantities**

(RID)

Packing instructions

: P001, IBC02

: TP2, TP27

(RID)

Mixed packing : MP15

provisions (RID)

Portable tank and bulk : T11

container instructions

Portable tank and bulk

container special

provisions (RID)

Tank codes for RID : L4BN

tanks (RID)

Transport category : 2

(RID)

Colis express (express : CE6

parcels) (RID)

Hazard identification : 83

number (RID)

14.7. Transport in bulk according to Annex II of Marpol

and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

France

Occupational diseases	
Code	Description
RG 65	Eczematiform lesions of allergic mechanism

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG)

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed giftige stoffen – Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen - Ontwikkeling

giftige stoffen - Borstvoeding

Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information		
Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BLV	Biological limit value	
CAS-No.	Chemical Abstract Service number	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
EC-No.	European Community number	
EN	European Standard	
IATA	International Air Transport Association	

IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
РВТ	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class
Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
	The Land of the aquation of the line in a Land, but ogerly
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 2 Asp. Tox. 1	
	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Hazardous to the aquatic environment — Chronic Hazard, Category 2 Aspiration hazard, Category 1
Asp. Tox. 1 Eye Dam. 1	Hazardous to the aquatic environment — Chronic Hazard, Category 2 Aspiration hazard, Category 1 Serious eye damage/eye irritation, Category 1
Asp. Tox. 1 Eye Dam. 1 Flam. Liq. 3	Hazardous to the aquatic environment — Chronic Hazard, Category 2 Aspiration hazard, Category 1 Serious eye damage/eye irritation, Category 1 Flammable liquids, Category 3
Asp. Tox. 1 Eye Dam. 1 Flam. Liq. 3 Met. Corr. 1	Hazardous to the aquatic environment — Chronic Hazard, Category 2 Aspiration hazard, Category 1 Serious eye damage/eye irritation, Category 1 Flammable liquids, Category 3 Corrosive to metals, Category 1
Asp. Tox. 1 Eye Dam. 1 Flam. Liq. 3 Met. Corr. 1 Skin Corr. 1B	Hazardous to the aquatic environment — Chronic Hazard, Category 2 Aspiration hazard, Category 1 Serious eye damage/eye irritation, Category 1 Flammable liquids, Category 3 Corrosive to metals, Category 1 Skin corrosion/irritation, Category 1, Sub-Category 1B
Asp. Tox. 1 Eye Dam. 1 Flam. Liq. 3 Met. Corr. 1 Skin Corr. 1B Skin Irrit. 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2 Aspiration hazard, Category 1 Serious eye damage/eye irritation, Category 1 Flammable liquids, Category 3 Corrosive to metals, Category 1 Skin corrosion/irritation, Category 1, Sub-Category 1B Skin corrosion/irritation, Category 2
Asp. Tox. 1 Eye Dam. 1 Flam. Liq. 3 Met. Corr. 1 Skin Corr. 1B Skin Irrit. 2 Skin Sens. 1B	Hazardous to the aquatic environment — Chronic Hazard, Category 2 Aspiration hazard, Category 1 Serious eye damage/eye irritation, Category 1 Flammable liquids, Category 3 Corrosive to metals, Category 1 Skin corrosion/irritation, Category 1, Sub-Category 1B Skin corrosion/irritation, Category 2 Skin sensitisation, category 1B
Asp. Tox. 1 Eye Dam. 1 Flam. Liq. 3 Met. Corr. 1 Skin Corr. 1B Skin Irrit. 2 Skin Sens. 1B STOT SE 3	Hazardous to the aquatic environment — Chronic Hazard, Category 2 Aspiration hazard, Category 1 Serious eye damage/eye irritation, Category 1 Flammable liquids, Category 3 Corrosive to metals, Category 1 Skin corrosion/irritation, Category 1, Sub-Category 1B Skin corrosion/irritation, Category 2 Skin sensitisation, category 1B Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH208	Contains d-Limonene(5989-27-5). May produce an allergic reaction.

Safety Data Sheet (SDS), EU This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.